

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	27	"5673253"	USPAT	OR	OFF	2005/08/22 08:41
S2	6	"6091729"	USPAT	OR	OFF	2005/08/22 08:42
S3	16	"6157643"	USPAT	OR	OFF	2005/08/22 08:42
S4	3	"6356548"	USPAT	OR	OFF	2005/08/22 08:42
S5	0	"6091729".pn. and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 08:49
S6	1	"6091729".pn. and buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 08:50
S7	0	"6091729".pn. and buffer and FI Fo	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 08:50
S8	0	"6091729".pn. and buffer and FIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 08:50
S9	1	"6091729".pn. and buffer and rates	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 08:50
S10	1047817	(control near6 (signal message indicators))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:06
S11	164	(first adj rate) same (stop cease pause terminate) same (second adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:12
S12	75	S11 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:08
S13	23	S11 same S10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:34
S14	2388329	compare\$3 evaluat\$3 estimate \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:08

S15	13790	S14 same rate same predetermin\$3 same value	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:10
S16	345026	S14 same (first previous) same (second latest last)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:11
S17	5942	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:11
S18	2	S17 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 09:12
S19	12	"6122251"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 10:02
S20	1090	(first adj rate) near6 (greater less) near6 (second adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 10:04
S21	73	S20 and (count\$5 same (number quality) same output)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 13:28
S22	65	S21 and (@ad< "20011016" @rlad< "20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:12
S23	227767	(value count number quality) same data same (represent\$3 resembl\$3) same (value number quality count) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 13:32
S24	71170	S23 same (FIFO buffer memory storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 13:33
S25	29594	"3" same (compar\$3 evaluat \$3) same (threshold predetermine)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 13:33
S26	1175	S24 same (compar\$3 evaluat \$3) same (threshold predetermine)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 13:34
S27	110	S26 same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/22 13:34

S28	49	S27 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:24
S29	9	"6147997"	USPAT	OR	OFF	2006/01/10 12:23
S30	15	"6122251"	USPAT	OR	OFF	2006/01/10 15:14
S31	29	"5673253"	USPAT	OR	OFF	2006/01/10 15:18
S32	7	"6091729"	USPAT	OR	OFF	2006/01/10 15:18
S33	17	"6157643"	USPAT	OR	OFF	2006/01/10 15:19
S34	3	"6356548"	USPAT	OR	OFF	2006/01/10 15:47
S35	948	(rate near10 control\$3) same FIFO	USPAT	OR	OFF	2006/01/10 15:48
S36	0	(rate near10 control\$3) same FIFO same (line adj card)	USPAT	OR	OFF	2006/01/10 15:48
S37	0	(dyanmic near10 rate near10 control\$3) same FIFO	USPAT	OR	OFF	2006/01/10 15:48
S38	0	(dyanmic near10 rate near10 control\$3) same FIFO	USPAT	OR	ON	2006/01/10 15:48
S39	1024	(rate near10 control\$3) same FIFO	USPAT	OR	ON	2006/01/10 15:50
S40	0	S39 and (buffer same count\$3 same input) and (buffer same count\$3 same output)	USPAT	OR	ON	2006/01/10 15:50
S41	0	S39 and (count\$3 same input) and (count\$3 same output)	USPAT	OR	ON	2006/01/10 15:50
S42	199	S39 and (adjust\$3 near10 rate)	USPAT	OR	ON	2006/01/10 15:50
S43	199	S42 and (adjust\$3 near10 rate)	USPAT	OR	ON	2006/01/10 15:54
S44	25	S42 and (adjust\$3 near10 rate) and (congest\$4 near10 control\$3)	USPAT	OR	ON	2006/01/10 15:55
S45	12	"6510153"	USPAT	OR	OFF	2006/01/11 10:35
S46	4384	DHCP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:35
S47	0	S46 and (wir\$3 same pool) and ((wire adj less) same pool) and ((hand adj off) same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:37
S48	19	S46 and (wir\$3 same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:37

S49	0	S46 and (wir\$3 same pool) and ((wire adj less) same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:37
S50	0	S46 and((wire adj less) same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:37
S51	70	S46 and ((wireless) same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:37
S52	15	S46 and (wir\$3 same pool) and ((wireless) same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:37
S53	2	S52 and (handoff same pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:38
S54	0	S53 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 10:38
S55	8	S52 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:21
S56	5	DHCP and (time near10 sensitive) and (time near10 insensitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:25
S57	3	S56 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:42
S58	149	DHCP and (time near10 sensi \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:38
S59	63636	(allocat\$3 dedicat\$3 assign\$3) near10 address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:39
S60	112040	(priorit\$4 sensit\$6) near10 time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:49
S61	247	S59 and S60 and DHCP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:42

S62	178	S61 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 14:40
S63	105	S62 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:43
S64	1	"20030079017" and time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:46
S65	1066	(priorit\$4 sensit\$6) near10 (S59)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:49
S66	37	S65 and DHCP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:49
S67	24	S66 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/11 13:49
S68	1	"20030079017" and time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 14:41
S69	0	S68 and Aimoto.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 14:42
S70	534	Aimoto.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 14:42
S71	468	Aimoto.in. and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 14:43
S72	25	S71 and FIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/21 14:43
S73	231992	rate near5 control	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 13:44
S74	4549	priority near5 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 13:45

S75	596	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 13:45
S76	429	S75 and (@ad<"2011016" @rlad<"2011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 13:45
S77	187	S76 and FIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:38
S78	187	S77	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 13:47
S79	99	S77 and "370"/	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 13:48
S80	1	("0000370").PN.	US-PGPUB; USPAT	OR	OFF	2006/05/15 13:48
S81	9	"6147997"	USPAT	OR	OFF	2006/05/16 09:02
S82	746	high\$2 near2 priority near2 (buffer\$1 FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:41
S83	469	low\$2 near2 priority near2 (buffer\$1 FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:41
S84	237	S82 same S83	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:40
S85	2	S84 same (rate near2 control \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:40
S86	2	S85 and (@ad<"2011016" @rlad<"2011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:41
S87	294	S82 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:40
S88	233	S87 and (@ad<"2011016" @rlad<"2011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:36

S89	131	low\$2 near2 priority near2 (FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:41
S90	177	high\$2 near2 priority near2 (FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:41
S91	79	S89 same S90	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:41
S92	61	S91 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:31
S93	27222	(rate near5 control\$3) near10 (chang\$3 tuggle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:37
S94	2	S93 same (((first previous prior) near5 rate) near10 stop near10 (second near5 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:36
S95	1	S94 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:46
S96	29284	(rate near5 control\$3) near10 (chang\$3 tuggle alter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:45
S97	1438	(rate near5 control\$3) near10 (transmit\$5 near10 data) near10 (transmit\$5 near5 rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:46
S98	956	S97 and (@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:47
S99	146	S98 and (FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 10:47
S100	8	S98 and (FIFO) and (switch\$3 near4 fabric)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 16:00
S101	3727	370/229	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 16:00

S102	4708	370/235	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 16:00
S103	4160	370/412	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 16:00
S104	1	"20030016686"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/09/06 10:43
S105	1	"6118761".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/09/06 10:43
S106	12351295	@ad<"20011016" @rlad<"20011016"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:33
S107	2	"20020057712"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:33
S108	2	S107 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:35
S109	25665	rate near5 control near5 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 15:51
S110	19025	S109 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:47
S111	47	S110 and (switch\$3 near5 fabric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 15:54
S112	23	S110 and ((switch\$3 near5 fabric) same control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:48
S113	11	S110 and ((switch\$3 near5 fabric) same control) and threshold\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:57
S114	3	S113 and FIFO	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 14:58



S115	2875	data near5 rate near5 control near5 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 15:52
S116	2139	S115 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 15:54
S117	10	S116 and (switch\$3 near5 fabric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 15:57
S118	3	S116 and (switch\$3 near5 fabric) and threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 16:30
S119	1	"6118761".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 17:43
S120	2	S116 and (switch\$3 near5 fabric) and (compar\$3 near5 rate\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 16:32
S121	270	S116 and (compar\$3 near5 rate\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 16:34
S122	5	S121 and (line near5 card\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 16:33
S123	62	S121 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 16:34
S124	5275	370/468	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2006/11/14 17:43
S125	2	"6118761".pn. "20020048280"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/04/12 15:34
S126	5610	370/468	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 16:10

S127	25	"5539747".pn. "5673253".pn. "6091729".pn. "6122251".pn. "6147997".pn. "6157643".pn. "6356548".pn. "6094692".pn. "6167030".pn. "6700869".pn. "6715007".pn. "6732209".pn. "6839768".pn. "6937568".pn. "7068602".pn. "7072299".pn. "7145904".pn. "7298703".pn. "20030007452" "20030035373" "20030128703" "20030165150" "20030231593" "20040004961"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 16:13
S128	1	"5515359".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:26
S129	180	((rate traffic) near2 controller \$1) with (increa\$4) with ("times")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:28
S130	12427082	@ad<"20011016" @lad<"20011016"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:27
S131	122	S129 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:28
S132	0	((rate traffic) near2 controller \$1) with (increa\$4) with mutiple with ("times")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:29
S133	1209	((rate traffic) near2 controller \$1) with (increa\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:30
S134	701	S133 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:29
S135	184	((rate traffic) near2 controller \$1) with (increa\$4 adjust\$3 chang\$3) with "more"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:31
S136	94	S135 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:37
S137	2	"20030058880"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:45

S138	10	"20030058880" "20030202510" "7042842".pn. "20030126297" "6944168".pn. "6654373".pn. "20030074473" "5612953".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:39
S139	1	"20030231593"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:46
S140	0	"6798743".pn. and rate\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:46
S141	0	"6798743".pn. and rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 17:47
S142	1	"6385168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 18:23
S143	1	"6118761".pn. and FIFO	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/29 18:23
S144	0	"2006024258"	US-PGPUB; USPAT	OR	OFF	2007/12/30 14:13
S145	1	"20060242585"	US-PGPUB; USPAT	OR	OFF	2007/12/30 15:50
S146	5	"IEEE1394.a"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/30 16:39
S147	1	"20050188232"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/30 16:40
S148	1	"Network interface card accessible during low power consumption mode".ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/30 16:41
S149	14	("5388265"   "5404544"   "5671355"   "5689714"   "5802305"   "5938771"   "5983353"   "6021493"   "6324652"   "6393570").PN. OR ("6513128").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/30 17:07
S150	1	"6193422".pn. and interface	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/30 17:24
S151	1	"6816976".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/30 17:24
S152	1	"6816976".pn. and interface	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/30 17:24

S153	1	(reduc\$3 with power near2 consumption) same printer\$3 same (devic\$2 computer\$1 pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:12
S154	246	network with interface with (power near2 consumption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:12
S155	12331332	((@ad<"20011016" @rlad<"20011016")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:27
S156	0	S153 and S154	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:13
S157	91	S155 and S154	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:14
S158	30	S157 and network and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:17
S159	11	S157 and network and storage and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:26
S160	20	S157 and network and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:26
S161	11943803	((@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 16:27
S162	19	S154 and S161 and network and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 17:00
S163	1	"20020199026" and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/31 17:00
S164	13155	709/250 709/318 709/250 709/318 713/323 713/322 713/324 713/600 713/500 713/156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/01 13:49
S165	184	((rate traffic) near2 controller \$1) with (increa\$4 adjust\$3 chang\$3) with "more"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/01 13:49

S166	184	S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/01 13:50
S167	1	S164 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/01 13:50
S168	1	"20030007452"	US-PGPUB; USPAT	OR	OFF	2008/10/17 15:11
S169	12475906	@ad<"20011018" @rlad<"20011018"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:18
S170	461627	rate near5 control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:19
S171	15346	quantity with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:20
S172	867	quantity with threshold with (buffer storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:20
S173	46	S172 and S170 and S169	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:20
S174	766425	flow\$3 near5 control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:45
S175	93	S174 and S169 and S171 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:46
S176	39	S175 and (count counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:51
S177	8	S175 and ((count counter) with quantity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 20:52
S178	28	("4175287"   "4692894"   "4841550"   "4922438").PN. OR ("5297139").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/16 20:59
S179	25	S178 and S169	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/16 21:00

S180	299885	amount near5 (data packet)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 21:07
S181	11299	S180 same (threshold)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 21:07
S182	1656518	(rate flow\$3) with control\$4	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 21:07
S183	1765	S181 and S182 and S169	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 21:08
S184	305	S181 same S182 and S169	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 21:08
S185	1	S184 and ((count counter) with quantity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 21:50
S186	8	S184 and (monitor\$3 near5 network near5 traffic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 21:53
S187	47	S184 and (monitor\$3 near5 buffer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 21:55
S188	2	09/978475	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 11:36
S189	6	"3775566".pn. "5179552".pn. "5197064".pn. "5361255".pn. "5539747".pn. "6122251".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 11:38
S190	1	"20030007452"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 12:35

3/ 18/ 2009 1:48:11 PM

C:\ Documents and Settings\ ktang4\ My Documents\ EAST\ Workspaces\ 09978475 Part II .wsp